Front panel of label

CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Initiator®

Systemic Plant Insecticide and Fertiliser

ACTIVE CONSTITUENT: 200 g/kg IMIDACLOPRID



* Kg NET (* x 2.5 g Tablets)

For use in the protection against insect damage and to provide enhanced growth in eucalyptus trees, roses, azaleas, lillypillies, palms and magnolias.

Guaranteed Minimum Fertiliser Analysis:

Nitrogen (N) (as slow release)	3.85%
Nitrogen (N) as Ammonium Nitrate	1.75%
Total Nitrogen (N):	5.6%
Phosphorous (P) (as calcium phosphate)	2.6%
Phosphorous (P) (Slow release)	2.8%
Total Phosphorous:	5.4%
Potassium (K) (Slow release):	4.2%
Magnesium (Mg) (Slow release):	1.4%

*APVMA Approval Nos.: 60391/3kg/0209 (1200 x 2.5 g tablets) 60391/625g-1.25kg/0209 (250-500 x 2.5 g tablets)

2022 ENVIRONMENTAL SCIENCE AU PTY LTD ABN 49 656 513 923 Suite 2.06, Level 2, 737 Burwood Rd Hawthorn East, Vic, 3123 Technical Enquiries: 1800 024 209 www.au.envu.com

DOM:

B/N:

Front panel of label

CAUTION

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Initiator®

Systemic Plant Insecticide and Fertiliser

ACTIVE CONSTITUENT: 200 g/kg IMIDACLOPRID



750g NET

(300 x 2.5 g Tablets) For use in the protection against insect damage and to provide enhanced growth in eucalyptus trees, roses, azaleas, lillypillies, palms and magnolias.

Guaranteed Minimum Fertiliser Analysis:

Nitrogen (N) (as slow release)	3.85%
Nitrogen (N) as Ammonium Nitrate	1.75%
Total Nitrogen (N):	5.6%
Phosphorous (P) (as calcium phosphate)	2.6%
Phosphorous (P) (Slow release)	2.8%
Total Phosphorous:	5.4%
Potassium (K) (Slow release):	4.2%
Magnesium (Mg) (Slow release):	1.4%

APVMA Approval No.: 60391/625 g - 1.25 kg/0209

2022 ENVIRONMENTAL SCIENCE AU PTY LTD ABN 49 656 513 923 Suite 2.06, Level 2, 737 Burwood Rd Hawthorn East, Vic, 3123 Technical Enquiries: 1800 024 209 www.au.envu.com

DOM:

B/N:

Text above this line is not included in the label

Auxillary panel

Directions for	Directions for use						
PLANT	PEST	RATE	CRITICAL COMMENTS				
attack container Through insect	will control or significantly reduce damag rised, newly planted and established pla protection and fertiliser effects the table newly established seedlings, containeriz amental plants	nts. has been sl	hown to improve survival and				
Roses	Aphids	1 tablet per m of plant height.	Transplanted stock: Place tablet(s) in planting hole,				
Azaleas (in- ground and potted)	Azalea lace bug		immediately beneath root ball, at time of planting				
Lillypillies	Psyllids		Established in-ground or				
Potted palms Magnolias	Mealybugs Scale		potted plants: Create a hole in the soil approximately 5 cm deep, as close to the absorptive roots as possible (at least 10 cm away from stem of plant). Place tablet in hole and ensure tablet is completely covered with soil after placement. In plants greater than 1 m in height, where multiple tablets are required, space out the tablets evenly around the plant.				
Eucalypt trees	Various defoliating insect pests including Chrysomelid larvae and adults (eg. <i>Chrysophtharta</i> spp., <i>Paropsis</i> spp., <i>Cadmus</i> spp.), scarab pests (eg. <i>Heteronyx</i> <i>dimidiata</i> and <i>H. crinitus</i>) Suppression of damage caused by Autumn gum moth (<i>Mnesampela</i> <i>privata</i>) and Light brown apple moth (<i>Epiphyas postvittana</i>) Stem damaging scarab pests eg. adult African Black Beetle (<i>Heteronychus arator</i>) Sap-sucking pests eg. Psyllids and Gum-tree scale	1 tablet per seedling tree	Transplanted seedling stock: Place tablet in planting hole, immediately beneath or adjacent to root ball, at time of planting				
	Root-feeding scarab pests eg. Heteronyx elongatus						

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

Page: 3 of 5

<u>Auxillary panel – outer box</u>

GENERAL INSTRUCTIONS:

Initiator tablets are formulated to release active ingredient slowly. Release of active ingredient is dependent on presence of adequate soil moisture. For best results, irrigate the plant after treatment, and ensure that the plant receives regular irrigation for at least 2-3 months after treatment.

FORESTRY APPLICATIONS

Once the seedling has been placed into the planting hole where an Initiator tablet has been applied there is no requirement for any deviation from normal planting practice.

This tablet formulation has been shown to significantly improve growth and establishment rates of eucalypt plantations in areas where insect pests are significant limitations to growth and establishment.

PRODUCTION AND LANDSCAPE ORNAMENTALS

Initiator tablets can be used as directed on the plant species described above in areas such as production and retail nurseries, home gardens and residential complexes; business, office and shopping complexes; golf courses, airports, cemeteries, parks, playgrounds, athletic fields, and other landscaped recreational areas.

INSECTICIDE RESISTANCE WARNING: GROUP 4A INSECTICIDE

For insecticide resistance management Initiator is a Group 4A insecticide.

Some naturally occurring insect biotypes resistant to Initiator and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Initiator or other Group 4A insecticides are used repeatedly. The effectiveness of Initiator on resistant individuals could be significantly reduced. Since the occurrence of resistant individuals is difficult to detect prior to use, 2022 Environmental Science AU Pty Ltd accepts no liability for any losses that may result from the failure of this product to control resistant insects.

Initiator Tablets may be subject to specific resistance management strategies. For further information contact your local supplier or 2022 Environmental Science AU Pty Ltd representative.

PRECAUTIONS

DO NOT allow stock to graze treated trees or pasture adjacent to trees.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT leave tablets exposed above ground as they are dangerous to wildlife, particularly birds.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area out of direct sunlight.

Triple rinse container before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. If recycling, replace lid and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. DO NOT burn empty containers or product. DO NOT re-use empty containers for any other purpose.

SAFETY DIRECTIONS

May irritate the eyes and skin. Avoid contact with eyes and skin. Wear rubber gloves. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre (131126).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, 2022 Environmental

Initiator Tablet	Page:	5 of 5
Approved text label – 2 nd March 2009		

Text above this line is not included in the label

Science AU Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval Number: 60391/625g - 1.25 kg/0209

Envu, the Envu logo and Initiator® are trademarks owned by Environmental Science U.S. LLC or one of its affiliates. ©2023 Environmental Science U.S. LLC

2022 ENVIRONMENTAL SCIENCE AU PTY LTD ABN 49 656 513 923 Suite 2.06, Level 2, 737 Burwood Rd Hawthorn East, Vic, 3123 Technical Enquiries: 1800 024 209 www.au.envu.com

FOR SPECIALIST ADVICE IN AN EMERGENCY ONLY CALL +61 2 9037 2994 or 1800 862 115 toll free. The toll free phone number is possibly accessible, but not guaranteed from payphones within Australia and is not accessible from outside of Australia.